


Galea™


mechanisms and cover plates

Mechanisms					Galea rocker or cover plates					
					Aluminium		Bronze		Gold Sand	
										
		Pack	Cat.Nos	Pack	Cat.Nos	Pack	Cat.Nos	Pack	Cat.Nos	
Switch	One-way	10	7758 01		10	7773 10	10	7774 10	1	7776 10
	Two-way	10	7758 06							
	Intermediate	10	7758 07							
Push-button	Standard	10	7758 11							
	Two-way	10	7758 16							
2-gang one-way switch		10	7758 05		10	7773 12	10	7774 12	1	7776 12
Two-way switch + two-way push-button		1	7758 10							
2-gang two-way switch		10	7758 08							
2-gang two-way push-button		1	7758 18							
German standard 2P+⚡ socket outlet	Automatic terminals ⁽¹⁾	10	7759 20		10	7773 20	10	7774 20	1	7776 20
	Screw terminals ⁽¹⁾	10	7759 21							
RJ 11 socket	2 outlets	10	7759 39		1	7773 75	1	7774 75	1	7776 75
RJ 45 socket	8 contacts - 1 outlet	1	7759 75							
	8 contacts - 2 outlets	10	7759 36							
	ISDN-4 contacts	10	7759 37							
RJ 45 socket Cat. 5e UTP	1 outlet	10	7757 61							
	2 outlets	10	7757 62							
RJ 45 socket Cat. 6 UTP	1 outlet	10	7758 28							
	2 outlets	10	7758 30							



(1) For 2P+⏏ socket outlet shuttered for child protection: use cover plate Cat.Nos 777x 21
For 2P+⏏ socket outlet with cover shuttered for child protection: use cover plate Cat.Nos 777x 22

Galea™

mechanisms and cover plates (continued)


Mechanisms					Galea rocker or cover plates					
		Pack	Cat.Nos		Aluminium 		Bronze 		Gold Sand 	
					Pack	Cat.Nos	Pack	Cat.Nos	Pack	Cat.Nos
Floor heating	Ivory	1	7758 57		10	7773 19	10	7774 19	10	7776 19
	White	1	7758 58							
Thermostat comfort	Ivory	1	7758 66							
	White	1	7758 67							
Switch with pull cord	One-way	1	7758 09							
	Two-way	1	7758 19							
2 pole key switch for roller blinds, with white cover		1	7757 52							
2 pole push-button for roller blinds, with white cover		1	7755 52							
2 pole push-button with white cover		1	7755 58							
Time switch for roller blinds	White	1	7757 46							
	Ivory	1	7757 47							
	Anthracite	1	7757 48							
Pilot lamp		1	7759 43							
Electronic bell	8/12 V	1	7757 09							
	230 V	1	7757 18							
Buzzer 230 V		1	7757 12							
Transformer 230 V~		1	7757 45							
Euro US socket outlet	2P	10	7758 36							
	2P+E	10	7758 37							
US socket outlet 2P+E		10	7758 38							
BS socket outlet 2P+E with shutters		10	7758 49							
TV/FM 862 MHz	1.5 dB	10	7759 68							
	10 dB	10	7759 69							
	14 dB	10	7759 70							
TV/FM/SAT 2400 MHz	1.5 dB	10	7759 71							
	10 dB	10	7759 72							
	14 dB	10	7759 73							

Galea™ frames

Frames			Aluminium		Bronze		Gold Sand		Chrome Sand	
										
			Pack	Cat.Nos	Pack	Cat.Nos	Pack	Cat.Nos	Pack	Cat.Nos
HORIZONTAL MOUNTING	1 gang		5	7773 01	5	7774 01	1	7776 00	1	7776 05
	2 gang		2	7773 02	2	7774 02	1	7776 01	1	7776 06
	3 gang		2	7773 03	2	7774 03	1	7776 02	1	7776 07
	4 gang		1	7773 04	1	7774 04		—		—
VERTICAL MOUNTING	2 gang		2	7773 06	2	7774 06	1	7776 03	1	7776 08
	3 gang		2	7773 07	2	7774 07	1	7776 04	1	7776 09
	4 gang		1	7773 08	1	7774 08		—		—

Creo™

mechanisms and cover plates



MECHANISMS					Creo rocker or cover plates			
					Almond 		White 	
	Pack	Cat.Nos			Pack	Cat.Nos	Pack	Cat.Nos
In One by Legrand FUNCTIONS								
PLC / IR one-way switch	1	7756 33			1	7766 92	1	7767 92
RF one-way switch	1	7756 36						
PLC/IR two-gang one way switch	1	7756 32			1	7766 91	1	7767 91
PLC/IR switch dimmer 300 W	1	7756 37			1	7766 69	1	7767 69
RF switch dimmer	1	7756 42						
PLC automatic switch with override	1	7756 21			1	7766 87	1	7767 87
PLC/IR lighting scenario controller	1	7756 40			1	7766 91 / 93	1	7767 91 / 93
RF lighting scenario controller	1	7756 16						
PLC/IR individual roller blinds control	1	7756 22			1	7766 61	1	7767 61
PLC/IR general roller blinds control	1	7756 25						
RF individual roller blinds control	1	7756 27						
RF general roller blinds control	1	7756 29						
PLC/IR scenario controller	1	7756 18			1	7766 93	1	7767 93
RF scenario controller	1	7756 45						
STANDARD FUNCTIONS								
Switch	One-way	10	7758 01		10	7760 10	10	7762 10
	Two-way	10	7758 06					
	Intermediate	10	7758 07					
Push-button	Standard	10	7758 11		10	7760 08 7760 11 ⁽⁴⁾	10	7762 08 7762 11 ⁽⁴⁾
	Two-way	10	7758 16					
Illuminated switch	Two-way	10	7756 02					
	Intermediate	1	7758 27 ⁽¹⁾					
Illuminated push-button	Standard	10	7758 13 ⁽²⁾					
	Two-way	10	7758 46 ⁽²⁾					
Two-way indicator switch		10	7758 20					
Push-button with indicator		10	7758 17 ⁽³⁾					
2-gang one-way switch		10	7758 05		10	7760 12	10	7762 12
Two-way switch + changeover push-button		1	7758 10					
2-gang two-way switch		10	7758 08					
2-gang changeover push-button		1	7758 18					
20 A switch		10	7758 29		10	7760 45	10	7762 45
2-gang one-way switch illuminated		1	7758 25 ⁽¹⁾		10	7760 13	10	7762 13
2 pole switch		10	7758 02		10	7760 15	10	7762 15
2 pole indicator switch		10	7758 22 ⁽¹⁾		10	7760 18	10	7762 18
2-gang switch for roller blinds		1	7758 04		10	7760 14	10	7762 14
Double push-button for roller blinds		1	7758 14					
Hotel card switch for hotel rooms		10	7759 54		10	7760 54	10	7762 54
(1) Supplied with lamp Cat.No 7758 97 (2) Supplied with lamp Cat.No 7758 90 (3) Supplied with lamp Cat.No 7758 98 (4) Supplied with one set of labels								

(1) Supplied with lamp Cat.No 7758 97
(2) Supplied with lamp Cat.No 7758 90
(3) Supplied with lamp Cat.No 7758 98

(4) Supplied with one set of labels

Creo™

mechanisms and cover plates (continued)

MECHANISMS					Creo rocker or cover plates			
					Almond		White	
								
				Pack	Cat.Nos	Pack	Cat.Nos	
STANDARD FUNCTIONS (continued)								
Push-rotary dimmer	0 – 420 W	1	7759 03		10	7760 60	10	7762 60
Dimmer 1 to 10 V		1	7759 01					
1000 W power dimmer		1	7759 10		1	7760 59	1	7762 59
Floor heating	Ivory	1	7758 57		10	7760 19	10	7762 19
	White	1	7758 58					
Thermostat comfort	Ivory	1	7758 66					
	White	1	7758 67					
Switch with pull cord	One-way	1	7758 09					
	Push-button	1	7758 19					
2 pole key switch for roller blinds	Ivory	1	7757 51					
	White	1	7757 52					
2 pole push-button for roller blinds	Ivory	1	7755 51					
	White	1	7755 52					
2 pole push-button	Ivory	1	7755 57					
	White	1	7755 58					
Electronic bell - white	8/12 V	1	7757 09		10	7760 57	10	7762 57
	230 V	1	7757 18					
Buzzer 230 V - white		1	7757 12					
Transformer 230 V		1	7757 45					
Euro US socket outlet	2P	10	7758 36					
	2P+E	10	7758 37					
US socket outlet	2P+E	10	7758 38					
BS socket outlet	2P+E with shutters	10	7758 49					
Time switch	White	1	7757 46					
for roller blinds	Ivory	1	7757 47					
Roller blinds rotary control		1	7758 53					
TV/RD 862 MHz	1.5 dB	10	7757 86		10	7766 72	10	7767 72
	10 dB	10	7757 87					
	14 dB	10	7757 88					
TV/RD/SAT 2400 MHz	1.5 dB	10	7757 89		10	7766 73	10	7767 73
	10 dB	10	7757 90					
	14 dB	10	7757 91					
GERMAN STANDARD SOCKET OUTLETS 16 A - 250 V								
2P+E - Screw terminals		supplied with cover plate			10	7760 21	10	7762 21
2P+E - Red with tamperproof		supplied with cover plate				-	10	7762 30
2P+E - Voltage surge protector		supplied with cover plate			1	7760 31	1	7762 31
2P+E - Automatic terminals		supplied with cover plate			10	7760 20	10	7762 20
2P+E with shutters		supplied with cover			10	7760 22	10	7762 22
2P+E with shutters + cover		supplied with cover			10	7760 24	10	7762 24
FRENCH STANDARD SOCKET OUTLET 16 A - 250 V								
2P+E with shutters screw terminals		supplied with cover			10	7760 47	10	7762 47

Red catalogue numbers: New products

Creo™


mechanisms and cover plates (continued)

MECHANISMS					Creo rocker or cover plates			
					Almond		White	
								
		Pack	Cat.Nos		Pack	Cat.Nos	Pack	Cat.Nos
BRITISH STANDARD SOCKET OUTLET 13 A								
2P+E switched, with shutters		10	7758 48		10	7760 48	10	7762 48
DATA SOCKETS								
RJ 45 socket	8 contacts 1 outlet	1	7759 75		10	7760 75	10	7762 75
	8 contacts 2 outlet	10	7759 36					
	4 contacts 2 outlets ISDN	10	7759 37					
RJ 45 socket - Cat. 6 UTP	1 outlet	10	7758 28		10	7760 77	10	7762 77
	2 outlets	10	7758 30					
RJ 45 socket - Cat. 6 STP	1 outlet	10	7758 40					
	2 outlets	10	7758 41					
Equipped SC fibre optic socket		1	7758 83		10	7760 77	10	7762 77
Equipped ST fibre optic socket		1	7758 84					
MISCELLANEOUS FUNCTIONS								
1 pole ventilation switch - 3 positions	Without 0	1	7759 57		10	7760 57	10	7762 57
	With 0	1	7759 58					
2 pole ventilation switch		1	7759 59					
Time switch	0-15 min.	1	7759 62		10	7760 57	10	7762 57
	0-120 min	1	7759 64					
Tuner + input amplifier		1	7756 11					
Loudspeaker	For suspended ceiling F 78 mm 2W - 16 Ω	1	0673 27		-			
	For suspended ceiling F 270 mm 100W - 8 Ω	1	0673 29					
Stand alone power supply for suspended ceiling loudspeakers		1	0673 22		-			
Cable outlet	5 terminals	10	7759 85		10	7760 85	10	7762 85
	Without terminals	10	7759 86					
IP 44 FUNCTIONS								
Two-way switch		supplied with cover				-	10	7767 01
Intermediate switch		supplied with cover				-	10	7767 05
Two-gang one-way switch		supplied with cover				-	10	7767 02
Two-gang two-way switch		supplied with cover				-	10	7767 03
Push-button		supplied with cover				-	10	7767 04
2P+E German standard socket outlet, automatic terminals, with cover		supplied with cover				-	10	7767 08

Red catalogue numbers: New products

Creo™

selection chart for frames

FRAMES 		Creo frames			
		Almond		White	
		Pack	Cat.Nos	Pack	Cat.Nos
HORIZONTAL OR VERTICAL MOUNTING					
1 gang		10	7760 01	10	7762 01
2 gang	 or 	10	7760 02	10	7762 02
3 gang	 or 	2	7760 03	2	7762 03
4 gang	 or 	2	7760 04	2	7762 04
5 gang	 or 	2	7760 05	2	7762 05

Valena: finishes for all tastes

Valena is the perfect choice for today's installations, satisfying your customer's domestic requirements. With a comprehensive and versatile series of functions, with new finishes for all tastes, Valena stands out as a range which is as simple as it is effective

Standard



Cream



White

Metallic



Brilliant Aluminium



Soft Titanium

Fresh



Terra



Clay



Umber

Classic



Fresh Rose



Fresh Yellow



Fresh Blue

Decorative insertions



White/Grey



White/Opal Blue



White/Crystal



White/Opal Yellow



White/Amber Opal



White/Blue Jelly



White/Gold



White/Chrome



> Comprehensive functions

Valena provides you with a range of functions adapted to your requirements:

switches, dimmers, TV, telephone and data sockets, sound distribution systems...



> Weatherproof functions-IP44

New weatherproof functions are allowing you to respond to special situations requiring IP 44 flush-mounting wiring devices



> Multigang installation possible

Valena is a multi-functional range, providing solutions for all the situations. The multi-gang frames are available in all finishes from two to five gang, horizontal or vertical mounting